


# VERTIFLO PUMP COMPANY



| Model     | Motor Frame | M     | C    | CP    | D   | E   | H    | HA | HB | HG  | HS    | KE  | KM   | KP | N   | P     | SD | X    | Z     |
|-----------|-------------|-------|------|-------|-----|-----|------|----|----|-----|-------|-----|------|----|-----|-------|----|------|-------|
| 2122-3X3  | 182-84T     | 1.125 | 14.3 |       |     |     |      |    | 48 |     |       |     | 36.5 |    |     |       |    |      |       |
|           | 213-15T     | 1.375 | 17.9 | 38.75 | 10  | 6   | 11.5 | 15 | 54 | 3.4 | 9.88  | 1.5 | 42.5 | 10 | .63 | 1.375 | 3  | 3.81 | 17.19 |
|           | 254-56T     | 1.625 | 21.1 |       |     |     |      |    |    |     |       |     |      |    |     |       |    |      |       |
| 2128-4X4  | 182-84T     | 1.125 | 14.3 |       |     |     |      |    | 48 |     |       |     | 35   |    |     |       |    |      |       |
|           | 213-15T     | 1.375 | 17.9 |       |     |     |      |    | 54 | 4   | 10.84 | 1.0 | 41   | 12 | .63 | 1.625 | 4  | 4.75 | 18.81 |
|           | 254-56T     | 1.625 | 21.1 | 40.55 | 9.5 | 7.5 | 11.5 | 18 |    |     |       |     |      |    |     |       |    |      |       |
|           | 284-86T     | 1.875 | 27.8 |       |     |     |      |    | 60 |     |       |     | 46.5 |    |     |       |    |      |       |
| 2128L-6X6 | 254-56T     | 1.625 | 21.1 |       |     |     |      |    |    |     |       |     |      |    |     |       |    |      |       |
|           | 284-86T     | 1.875 | 27.8 | 42.97 | 11  | 9   | 10   | 22 | 60 | 3.5 | 11.28 | 1.5 | 46.5 | 12 | .75 | 2     | 6  | 6.13 | 16.59 |
|           | 324-26T     | 2.125 | 30.3 |       |     |     |      |    |    |     |       |     |      |    |     |       |    |      |       |

Motor dimensions are based on the larger of the paired frame sizes since most motor manufacturers provide dual drilling for mounting of either frame size. Motor dimensions are for Baldor TEFC motors at 1750RPM. Motor overall length, (C), will vary based upon specific motor type, enclosure, and manufacturer. Dimension between shafts will vary with coupling type.

CUSTOMER \_\_\_\_\_ CUSTOMER NO. \_\_\_\_\_  
 PROJECT \_\_\_\_\_ SERIAL NO. \_\_\_\_\_  
 ENGINEER \_\_\_\_\_ LOCATION \_\_\_\_\_  
 CONTRACTOR \_\_\_\_\_  
 PUMP Model Size Curve No. GPM Head SP. GR. @Temp.  
 DATA \_\_\_\_\_  
 MOTOR Mfr. HP RPM Volt-Phase-Cycle Frame ENC. Furnished by Mounted by  
 DATA \_\_\_\_\_  
 Shop Order \_\_\_\_\_ Certified by \_\_\_\_\_ Date \_\_\_\_\_

Revised 7-15-04